Product Information



Sierrablen[®] Plus

Spring Starter 24-5-8+2MgO

Brand description

Sierrablen Plus utilizes the very latest controlled release coating technologies on mini granules for use on a wide variety of turf surfaces, from golf tees to sports fields. Sierrablen Plus has been designed for specific growth stages so that nutrients are released at the optimum rate according to the plants requirements. The application of a new coating technology guarantees a longer-lasting effect and a fast start. The mini granules ensure optimum nutrient distribution and are easily absorbed. The controlled release technologies in Sierrablen Plus have different release patterns based on Poly-S and Resin coating.

Product advantages

- 1. Ideal for use during the start of the growing season.
- 2. Nutrients released continuously over 4-5 months to encourage healthy balanced turf growth.
- 3. Magnesium included to improve turf colour.

Technology

Poly-S	Pace	TMax	Mu ₂	Silk	Pro-Lite

Use

Green	Tee	Fairway	Sportsfield	Amenity
	44	√√	44	44

Recommended Period for use

J	F	М	А	М	J	J	А	S	0	N	D
---	---	---	---	---	---	---	---	---	---	---	---


Performance*

Granule dispersal: 7 days (visually dispersed from surface)

Turf response: 7 days
Longevity: 4-5 months
* depending on environmental factors

Product characteristics

Bag size: 25kg
Application Rate: 30-45g/m²
Bag coverage: 555-883m²
Particle size: 0.85-2.0mm
Granule count: 291 granules/gram






New packaging 2013







Nutrient levels applied (kg/ha)

	30g/m²			35g/m²	
N	Р	K	N	Р	K
72.0	15.0	24.0	84.0	17.5	28.0

	40g/m²		45g/m²					
N	N	Р	K	Р	K			
96.0	20.0	32.0	108.0	22.5	36.0			

Directions for use

- Apply to dry foliage.
- Watering-in after application aids dispersion and gives a quicker initial effect.
- Avoid applications during frosty or drought conditions.
- Applications should be made after aeration programmes such as hollow tining, sliting and/or scarification to prevent granules damage.

Storage

Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well. Keep at temperatures between 0°C and 40°C.

Health & Safety

A Material Safety Data Sheet is available on request.

Guaranteed analysis

Guaranteet	a analysis
24.0 %	TOTAL NITROGEN (N)
	6.0% nitrate nitrogen (NO ₃ -N)
	7.0% ammoniacal nitrogen (NH ₄ -N)
	11.0% urea nitrogen (Ur-N)
5.0%	PHOSPHORUS PENTOXIDE (P ₂ O ₅) 3.8% water soluble
	2.2% phosphorus (P) 1.7% water soluble
8.0%	POATSSIUM OXIDE (K ₂ O) water soluble (chloride free)
	6.6% potassium (K), water soluble
2.0%	MAGNESIUM OXIDE (MgO)
	1.2% magnesium (Mg)
11.8%	SULPHUR TRIOXIDE (SO ₃)
	4.7% sulphur total (S)
80%	Coated N of total N
45%	Coated P ₂ O ₅ of total P ₂ O ₅
65%	Coated K ₂ O of total K ₂ O

Spreader Settings

Spreader type	Application	Cone setting	Spreader width	Application rate (g/m²)						
Spreader type	method	Cone setting	(m)	30	35	40	45			
Rotary Spreader	1 x pass	4	4.8	Р	R	S	T			
SR-2000 or Accupro 2000	2 x pass	4	4.8	М	M ½	N	N ½			

The complete Sierrablen Plus range

ine complete Sierrabien Plus range													
Product name	Analyses Recommended period of use												
Longevity: 3 months													
Spring Starter	24-5-13	J	F	М	А	М	J	J	А	S	0	N	D
Active	19-5-18+2MgO+TE	J	F	М	А	М	J	J	А	S	0	N	D
Renovator	20-20-8	J	F	М	А	М	J	J	А	S	0	N	D
Stress Control	15-0-28+2MgO	J	F	М	А	М	J	J	А	S	0	N	D
Longevity: 4-5 months	-												-
Spring Starter	24-5-8+2MgO	J	F	М	А	М	J	J	А	S	0	N	D
Active	18-5-18+2MgO	J	F	М	А	М	J	J	А	S	0	N	D
Stress Control	15-5-22+2MgO	J	F	М	А	М	J	J	А	S	0	N	D

