

Environmental Information Sheet

Supertox 30[®] MAPP number 09946 PCS number 91360



A soluble concentrate formulation containing 95 g/L (8.8 % w/w) mecoprop-P and 93.5 g/L (8.7 % w/w) 2,4-D as the diethanolamine salts, herbicides for the control of a wide range of broad-leaved weeds and clover in managed amenity turf.

Maximum individual dose :

Sprayer or Knapsack Sprayer: 17 litres product/hectare
 Maximum number of treatments 17 litres product/hectare once per year, followed by 8.4 litres product/hectare once per year

Maximum individual dose –

Fine rose watering can 24 litres product/hectare
 Maximum number of treatments: 1

Section	Profile
<p>1. WILDLIFE</p> <p>Mammals and Birds</p>	<p>Supertox 30[®] Is not classified as '<i>Harmful to game and wildlife</i>'</p> <p>No risk management is necessary to protect mammals and birds. Mecoprop-p, and 2,4-D, the active substances in Clovotox are of moderate toxicity to mammals and birds.</p> <p>The risk to wild mammals and birds grazing on treated areas is low, as is the risk due to exposure from other routes, e.g. consumption of earthworms or other invertebrates such as insect</p>
<p>2. BEES</p>	<p>No risk management necessary.</p> <p>Supertox 30[®] is of low risk to honeybees</p>
<p>3. NON TARGET INSECTS AND OTHER ARTHROPODS</p>	<p>No risk management necessary.</p> <p>Supertox 30[®] poses a low risk to a range of arthropod species.</p>

Environmental Information Sheet

Supertox 30[®] MAPP number 09946 PCS number 91360



EN8 7DP

Bayer Environmental Science 01992 784270

This Environmental Information Sheet was prepared in accordance with CPA Guidance Notes Version 3.

© EIS, copyright of Bayer CropScience Limited