

# Safety Data Sheet

## according to UK REACH (SI 2020/1577) as amended

Printing date 28.07.2025

Version number 5 (replaces version 4)

Revision: 28.07.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Revival Feed, Weed and Mosskiller
- **Registration number** Mixture
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category**  
PC22 Lawn and Garden Preparations, including fertilizers  
PC12 Fertilisers
- **Application of the substance / the mixture** Fertiliser
- **Uses advised against** None identified
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**  
Agrovista UK Ltd  
Rutherford House  
Nottingham Science and Technology Park  
University Boulevard  
Nottingham  
NG7 2PZ  
UK  
  
Tel: +44 (0)1952 897910
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to GB-CLP**  
Acute Tox. 4      H302 Harmful if swallowed.  
Skin Irrit. 2      H315 Causes skin irritation.  
Eye Irrit. 2      H319 Causes serious eye irritation.  
Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to GB-CLP** The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**  
Iron sulphate
- **Hazard statements**  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P102      Keep out of reach of children.  
P280      Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

# Safety Data Sheet

## according to UK REACH (SI 2020/1577) as amended

Printing date 28.07.2025

Version number 5 (replaces version 4)

Revision: 28.07.2025

**Trade name: Revival Feed, Weed and Mosskiller**

(Contd. of page 1)

- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P501 Dispose of contents/container in accordance with local regulations.
- **Additional information:**
    - EUH208 Contains Nickel sulphate, 2,4-D (ISO). May produce an allergic reaction.
    - EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
  - **2.3 Other hazards**
  - **Results of PBT and vPvB assessment**
    - **PBT:** Not applicable.
    - **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 7720-78-7 EINECS: 231-753-5 Index number: 026-003-00-7 Reg.nr.: 01-2119513203-57-XXXX	Iron sulphate Alternative CAS numbers: 17375-41-6, 7782-63-0 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 Specific concentration limit: Skin Irrit. 2; H315: C ≥ 25 %	25 – 50%
CAS: 14808-60-7 EINECS: 238-878-4 Reg.nr.: 01-2120770509-45-XXXX	Quartz (SiO <sub>2</sub> ) substance with a Community workplace exposure limit	10 – 25%
CAS: 8011-76-5 EINECS: 232-379-5 Reg.nr.: 01-2119488967-11-XXXX	Superphosphates* ⚠ Eye Dam. 1, H318 Specific concentration limit: Eye Dam. 1; H318: C ≥ 62 %	2.5 – 10%
CAS: 7085-19-0 EINECS: 202-264-4 Index number: 607-049-00-2	2-(4-chloro-2-methylphenoxy)propionic acid ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315	0.25 – < 1%
CAS: 94-75-7 EINECS: 202-361-1 Index number: 607-039-00-8	2,4-D (ISO) ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412 (M=1)	0.25 – < 1%
CAS: 7786-81-4 EINECS: 232-104-9 Index number: 028-009-00-5 Reg.nr.: 01-2119439361-44-XXXX	Nickel sulphate ⚠ Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1A, H350i; Repr. 1B, H360D; STOT RE 1, H372; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Skin Sens. 1, H317 ATE: LC50/4 h inhalative: 1.5 mg/l Specific concentration limits: Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0.01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0.1 % ≤ C < 1 %	< 0.01%

- **Additional information:**

\*In-vitro testing was conducted on products with Superphosphates content of <62% in 2015.  
Result: Reduced classification to Eye Irritant 2.  
Test Guideline OECD 438.

(Contd. on page 3)

# Safety Data Sheet

## according to UK REACH (SI 2020/1577) as amended

Printing date 28.07.2025

Version number 5 (replaces version 4)

Revision: 28.07.2025

**Trade name: Revival Feed, Weed and Mosskiller**

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Wash mouth out with water  
Do not induce vomiting; call for medical help immediately.  
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide and carbon dioxide  
Chlorine compounds  
Phosphorous oxides  
Sulphur Oxides (SO<sub>x</sub>)  
Toxic metal oxide smoke
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Avoid formation of dust.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course in the undiluted form.

(Contd. on page 4)

# Safety Data Sheet

## according to UK REACH (SI 2020/1577) as amended

Printing date 28.07.2025

Version number 5 (replaces version 4)

Revision: 28.07.2025

**Trade name: Revival Feed, Weed and Mosskiller**

(Contd. of page 3)

Inform respective authorities in case of seepage into water course or sewage system.

**· 6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

**· 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****· 7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.**· Information about fire - and explosion protection:** No special measures required.**· 7.2 Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:** No special requirements.**· Information about storage in one common storage facility:** Store away from oxidising agents.**· Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.**· Storage class:** 11**· 7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****· 8.1 Control parameters****· Ingredients with limit values that require monitoring at the workplace:****CAS: 7720-78-7 Iron sulphate**

WEL	Short-term value:	2 mg/m <sup>3</sup>
	Long-term value:	1 mg/m <sup>3</sup>
	as Fe	

**CAS: 14808-60-7 Quartz (SiO<sub>2</sub>)**

OEL	Short-term value:	0.3 mg/m <sup>3</sup>
	Long-term value:	0.1 mg/m <sup>3</sup>

**CAS: 94-75-7 2,4-D (ISO)**

WEL	Short-term value:	20 mg/m <sup>3</sup>
	Long-term value:	10 mg/m <sup>3</sup>

**CAS: 7786-81-4 Nickel sulphate**

WEL	Long-term value:	0.1 mg/m <sup>3</sup>
	as Ni; Sk; Carc; Sen	

**· DNELs****CAS: 7720-78-7 Iron sulphate**

Oral	Short-term systemic effects	20 mg/kg bw/day (general population)
	Long-term systemic effects	280 µg/kg bw/day (general population)
Dermal	Long-term systemic effects	1.4 mg/kg bw/day (general population)
		2.8 mg/kg bw/day (worker)

**CAS: 8011-76-5 Superphosphates\***

Dermal	Long-term systemic effects	2.08 mg/kg bw/day (general population)
		4.2 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	2.9 mg/m <sup>3</sup> (worker)

**CAS: 7786-81-4 Nickel sulphate**

Oral	Long-term systemic effects	13 µg/kg bw/day (general population)
------	----------------------------	--------------------------------------

(Contd. on page 5)

# Safety Data Sheet

## according to UK REACH (SI 2020/1577) as amended

Printing date 28.07.2025

Version number 5 (replaces version 4)

Revision: 28.07.2025

**Trade name: Revival Feed, Weed and Mosskiller**

(Contd. of page 4)

Dermal	Short-term systemic effects	370 µg/kg bw/day (general population)
	Long-term local effects	0.44 µg/kg bw/day (worker)
Inhalative	Short-term systemic effects	8.8 mg/m <sup>3</sup> (general population)
		104 mg/m <sup>3</sup> (worker)
	Long-term systemic effects	0.06 µg/m <sup>3</sup> (general population)
		50 µg/m <sup>3</sup> (worker)
	Long-term local effects	0.06 µg/m <sup>3</sup> (general population)
		50 µg/m <sup>3</sup> (worker)
	Short-term local effects	100 µg/m <sup>3</sup> (general population)
		1,600 µg/m <sup>3</sup> (worker)

### · PNECs

#### CAS: 7786-81-4 Nickel sulphate

Freshwater	7.1 µg/L
Freshwater - Intermittent releases	0 ng/L
Marine water	8.6 µg/L
Marine Water - Intermittent releases	0 ng/L
Sewage Treatment Plant	330 µg/L
Sediment (freshwater)	109 mg/kg
Sediment (marine water)	109 mg/kg
Soil	29.9 mg/kg
Secondary poisoning	120 µg/kg food

· **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

· **Respiratory protection:** When dust/mist are present use a Particulate filter, type P2.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

# Safety Data Sheet

## according to UK REACH (SI 2020/1577) as amended

Printing date 28.07.2025

Version number 5 (replaces version 4)

Revision: 28.07.2025

**Trade name: Revival Feed, Weed and Mosskiller**

(Contd. of page 5)

**· Eye/face protection**

Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**· Body protection:**

Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

**· Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.**· Risk management measures** The operators shall be instructed adequately.**SECTION 9: Physical and chemical properties****· 9.1 Information on basic physical and chemical properties****· General Information**

<b>· Physical state</b>	Solid
<b>· Colour:</b>	Beige
<b>· Odour:</b>	Mild
<b>· Odour threshold:</b>	Not determined.
<b>· Melting point/freezing point:</b>	Undetermined.
<b>· Boiling point or initial boiling point and boiling range</b>	90 °C (CAS: 7720-78-7 Iron sulphate)
<b>· Flammability</b>	Not determined.
<b>· Lower and upper explosion limit</b>	
<b>· Lower:</b>	Not determined.
<b>· Upper:</b>	Not determined.
<b>· Flash point:</b>	Not applicable.
<b>· Decomposition temperature:</b>	Not determined.
<b>· pH at 20 °C</b>	5 – 6 (5%)
<b>· Viscosity:</b>	
<b>· Kinematic viscosity</b>	Not applicable.
<b>· Dynamic:</b>	Not applicable.
<b>· Solubility</b>	
<b>· water:</b>	Soluble.
<b>· Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>· Vapour pressure:</b>	Not applicable.
<b>· Density and/or relative density</b>	
<b>· Density:</b>	Not determined.
<b>· Relative density</b>	Not determined.
<b>· Vapour density</b>	Not applicable.

**· 9.2 Other information**

<b>· Appearance:</b>	
<b>· Form:</b>	Granulate
<b>· Important information on protection of health and environment, and on safety.</b>	
<b>· Ignition temperature:</b>	Product is not self-igniting.
<b>· Explosive properties:</b>	Product does not present an explosion hazard.
<b>· Change in condition</b>	
<b>· Evaporation rate</b>	Not applicable.

**· Information with regard to physical hazard classes**

<b>· Explosives</b>	Not applicable
<b>· Flammable gases</b>	Not applicable

(Contd. on page 7)

# Safety Data Sheet

## according to UK REACH (SI 2020/1577) as amended

Printing date 28.07.2025

Version number 5 (replaces version 4)

Revision: 28.07.2025

**Trade name: Revival Feed, Weed and Mosskiller**

(Contd. of page 6)

· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	Not applicable
· Desensitised explosives	Not applicable

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
  - Strong acids.
  - Strong bases.
  - Strong oxidising agents.
- **10.6 Hazardous decomposition products:**
  - Carbon monoxide and carbon dioxide
  - Chlorine compounds
  - Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>)
  - Sulphur oxides (SO<sub>x</sub>)
  - Toxic metal oxide smoke

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.

#### · LD/LC50 values relevant for classification:

##### ATE (Acute Toxicity Estimates)

Oral	LD50	1,666.7 mg/kg (rat)
------	------	---------------------

##### CAS: 7720-78-7 Iron sulphate

Oral	LD50	500 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rat)
Inhalative	LC50/4 h	> 5 mg/l (rat)

##### CAS: 8011-76-5 Superphosphates\*

Oral	LD50	> 2,000 – < 5,000 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rat)

##### CAS: 7085-19-0 2-(4-chloro-2-methylphenoxy)propionic acid

Oral	LD50	930 mg/kg (rat)
------	------	-----------------

(Contd. on page 8)



# Safety Data Sheet

## according to UK REACH (SI 2020/1577) as amended

Printing date 28.07.2025

Version number 5 (replaces version 4)

Revision: 28.07.2025

**Trade name: Revival Feed, Weed and Mosskiller**

(Contd. of page 7)

Dermal	LD50	900 mg/kg (rat)
<b>CAS: 94-75-7 2,4-D (ISO)</b>		
Oral	LD50	370 mg/kg (rat)
Dermal	LD50	1,500 mg/kg (rat)
<b>CAS: 7786-81-4 Nickel sulphate</b>		
Oral	LD50	264 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **Additional toxicological information:** May cause sensitisation in susceptible persons.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients are listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

**CAS: 8011-76-5 Superphosphates\***

EC50 (72 h)	100 mg/l (Algae)
EC50 (3 h)	100 mg/L (microorganisms)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** Contains components with the potential to bioaccumulate.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Harmful to aquatic organisms  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Recommended Hierarchy of Controls:  
- Minimise waste;

(Contd. on page 9)



# Safety Data Sheet

## according to UK REACH (SI 2020/1577) as amended

Printing date 28.07.2025

Version number 5 (replaces version 4)

Revision: 28.07.2025

**Trade name: Revival Feed, Weed and Mosskiller**

(Contd. of page 8)

- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR/RID/ADN, IMDG, IATA**

Not applicable

· **14.2 UN proper shipping name**

· **ADR/RID/ADN, IMDG, IATA**

Not applicable

· **14.3 Transport hazard class(es)**

· **ADR/RID/ADN, ADN, IMDG, IATA**

· **Class**

Not applicable

· **14.4 Packing group**

· **ADR/RID/ADN, IMDG, IATA**

Not applicable

· **14.5 Environmental hazards:**

Not applicable.

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **UN "Model Regulation":**

Not applicable

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients are listed.

· **Regulated poisons**

None of the ingredients are listed.

· **Reportable explosives precursors**

None of the ingredients are listed.

· **Reportable poisons**

None of the ingredients are listed.

· **Control Of Major Accident Hazards Regulations 2015 (COMAH)**

· **Named dangerous substances - ANNEX I** None of the ingredients are listed.

(Contd. on page 10)

# Safety Data Sheet

## according to UK REACH (SI 2020/1577) as amended

Printing date 28.07.2025

Version number 5 (replaces version 4)

Revision: 28.07.2025

**Trade name: Revival Feed, Weed and Mosskiller**

(Contd. of page 9)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H350i May cause cancer by inhalation.
- H360D May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

· **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Resp. Sens. 1: Respiratory sensitisation – Category 1
- Skin Sens. 1: Skin sensitisation – Category 1
- Muta. 2: Germ cell mutagenicity – Category 2
- Carc. 1A: Carcinogenicity – Category 1Ai
- Repr. 1B: Reproductive toxicity – Category 1B
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **\* Data compared to the previous version altered.**