## **Safety Data Sheet**

Issue Date: 20-Jan-2014 Revision Date: 02-Mar-2016 Version: 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name: Greenmaster ProLite Spring & Summer 14-5-10+2MgO

Product Code 52440125DA

Synonyms: Greenmaster ProLite 14-2.2-8.3+1.2Mg

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use:** Fertilizer. Restricted to professional users.

Uses Advised Against: Consumer use.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer

**Everris International BV** 

Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0) 45-5609100; Fax: +31 (0) 45-5609190

#### For further information, please contact

INFO-MSDS@EVERRIS.COM

## 1.4. Emergency telephone number

IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h)

#### Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008

#### Serious Eye Damage or Eye Irritation

Category 1 - (H318)

## 2.2. Label elements

## **Product Identifier:**



Signal Word:

Danger

#### **Hazard Statements:**

H318 - Causes serious eye damage

Contains Potassium sulphate; K2SO4, Single Super Phosphate; SSP

## Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Revision Date: 02-Mar-2016

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Ingredients	EC-No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
	232-379-5	8011-76-5	25 - 40%	Eye Dam. 1 (H318)	01-2119488967-11
Single Super Phosphate; SSP					
	200-315-5	57-13-6	10 - 25%	Not classified	01-2119463277-33
Urea					
	231-915-5	7778-80-5	10 - 25%	Eye Dam. 1 (H318)	01-2119489441-34
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>					

Full text of H- and EUH-phrases: see section 16

## **Section 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**General Advice:** First aid measures should be executed by trained personnel only.

**Inhalation:** Move person to fresh air. If symptoms persist, call a physician.

Skin Contact: Wash off immediately with soap and plenty of water. Remove and wash contaminated

clothing before re-use. If symptoms persist, call a physician.

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. If symptoms persist, call a physician.

Protection of First-Aiders: Low hazard for usual industrial or commercial handling.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician:** None under normal processing.

## **Section 5: FIRE FIGHTING MEASURES**

#### 5.1. Extinguishing media

## Suitable extinguishing media:

Coordinate fire extinguishing measures to fire in surrounding area. Use dry chemical, CO2, water spray or "alcohol" foam.

## Unsuitable extinguishing media:

High volume water jet.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 5.3. Advice for firefighters

Coordinate fire extinguishing measures to fire in surrounding area.

## Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions:

Use personal protective equipment.

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

**Methods for Cleanup:** Avoid dust formation. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

§ 8, 12, 13.

## **Section 7: HANDLING AND STORAGE**

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety

practice. Use personal protection recommended in Section 8.

Revision Date: 02-Mar-2016

When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Store in original container. Keep tightly closed in a dry and cool

13

place. Keep away from food, drink and animal feeding stuffs.

Protect from extreme temperatures.

LGK (Germany)

Packaging Materials: Bags or Bulk.

7.3. Specific end use(s)

Specific use(s)

Fertilizer; Read and follow label instructions; www.everris.com

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Single Super Phosphate; SSP	
Bulgaria - Occupational Exposure Limits - TWAs	5.0 mg/m³ TWA (regulated under Double superphosphate)
Urea	
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m³ TWA
Latvia - Occupational Exposure Limits - TWAs	10 mg/m³ TWA
Norway	TWA: 30 μg Hg/g Creatinine
	STEL: 45 μg Hg/g Creatinine
Potassium sulphate; K2SO4	
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m³ TWA
Latvia - Occupational Exposure Limits - TWAs	10 mg/m³ TWA

#### **Derived No Effect Level (DNEL)**

No data available

#### **Predicted No Effect Concentration (PNEC)**

No data available.

8.2. Exposure controls

Engineering Measures to Reduce Person

**Exposure:** 

Personal protective equipment is not normally required - gloves can be worn for personal hygiene. In case of accidental spillage of bulk product, wear personal protective equipment appropriate to the task (see below).

Personal protective equipment

#### Greenmaster ProLite Spring & Summer 14-5-10+2MgO

Eye/Face Protection: Tightly fitting safety goggles

Hand protection: Nitrile rubber (0.26 mm). Break through time. > 8 h.

Respiratory Protection: Effective dust mask.

Skin and Body Protection: Lightweight protective clothing Rubber or plastic boots

Hygiene Measures: When using, do not eat, drink or smoke. Wash hands before stopping and immediately after

handling. Remove and wash contaminated clothing before re-use.

Revision Date: 02-Mar-2016

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State: Solid

Color: light grey, beige. Odor: Not significant no data available :Ha **Melting Point/Freezing Point:** no data available **Boiling Point/Range:** Solid, Not Applicable Flash Point: Solid, Not Applicable **Evaporation Rate:** Solid, Not Applicable Flammability (solid, gas): Non-flammable **Vapor Pressure:** Solid, Not Applicable Vapor Density: Solid, Not Applicable **Specific Gravity:** no data available

Specific Gravity:no data availableWater Solubility:Soluble in waterSolubility(ies)no data availablePartition Coefficient:Solid, Not ApplicableAutoignition Temperature:Not ApplicableDecomposition Temperature:no data available

**Explosive Properties:** Doesn't present explosion hazard. Based on data of ingredients.

9.2. Other information

Bulk density: +/- 1000 kg/m<sup>3</sup>

## Section 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

Not reactive.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

## 10.3. Possibility of hazardous reactions

## **Hazardous Decomposition Products:**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### Possibility of Hazardous Reactions:

None under normal processing.

#### 10.4. Conditions to avoid

For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well.

#### 10.5. Incompatible materials

Strong oxidizing agents. Acids and bases. Strong reducing agents. Flammable materials.

#### 10.6. Hazardous decomposition products

None under normal processing.

## Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

**Acute Toxicity** 

**Product Information:** 

#### Greenmaster ProLite Spring & Summer 14-5-10+2MgO

**Inhalation:** May cause irritation of respiratory tract.

**Eye Contact:** Causes serious eye damage.

**Skin Contact:** May cause irritation.

**Ingestion:** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Unknown Acute Toxicity:** 0% of the mixture consists of ingredient(s) of unknown toxicity.

#### The following values are calculated based on chapter 3.1 of the GHS document:

**ATEmix (oral):** 36,464.00 mg/kg

#### **Component Information:**

Ingredients	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	= 6600 mg/kg ( Rat )		

Skin Corrosion or IrritationSee also section 3.Serious Eye Damage or Eye IrritationSee also section 3.SensitizationSee also section 3.Mutagenic effectsSee also section 3.

Carcinogenicity The table below indicates whether each agency has listed any

ingredient as a carcinogen.

Revision Date: 02-Mar-2016

**Reproductive Toxicity** 

**Teratogenicity**No known effects under normal use conditions. **STOT - Single Exposure**No known effects under normal use conditions.

**STOT - Repeated Exposure**None under normal use conditions.

Aspiration Hazard None under normal use.

## **Section 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

Do not allow product to enter the environment uncontrolled.

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Ingredients	Algae/aquatic plants	Fish	Crustacea
Urea	> 10000: 192 h Scenedesmus quadricauda mg/L EC50	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	3910: 48 h Daphnia magna mg/L EC50 Static
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>		3550: 96 h Lepomis macrochirus mg/L LC50 static 510 - 880: 96 h Pimephales promelas mg/L LC50 static 653: 96 h Lepomis macrochirus mg/L LC50	EC50

## 12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

Ingredients	LOGPOW
Urea	-1.59

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available

## **Section 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Disposal should be in accordance with applicable regional, **Disposal of Wastes:** 

national and local laws and regulations.

**Contaminated Packaging:** Do not re-use empty containers. Dispose of as unused product. Other Information:

Use up product completely. Packaging material is industrial

Revision Date: 02-Mar-2016

waste.

## **Section 14: TRANSPORT INFORMATION**

IMO / IMDG

14.1

UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

14.4

Packing group: Not regulated

14.5

Marine Pollutant: Not regulated

14.6

**Special Provisions** None

14.7

Transport in bulk according to Annex II of MARPOL 73/78 Not regulated

and the IBC Code

ADR/RID

14.1 UN-No:

Not regulated 14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

14.4

Packing group: Not regulated 14.5

**Environmental Hazard** Not regulated

14.6

**Special Provisions** None

IATA

14.1 UN-No:

Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

14.4

Packing group: Not regulated

14.5

**Environmental Hazard** Not regulated

14.6

**Special Provisions** None

## **Section 15: REGULATORY INFORMATION**

Revision Date: 02-Mar-2016

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **National regulations**

Belgium

Denmark

Danish Sikkerhedsgruppe Not regulated

France

ICPE Not regulated

Germany

Gefahrstoffverordnung (Germany) TRGS 511 Not regulated

LGK (Germany) 13

Water Endangering Class (WGK): 1 (Everris classification)

Component	German WGK Section
Urea	class 1
57-13-6 ( 10 - 25% )	
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	class 1
7778-80-5 ( 10 - 25% )	

#### **European Union**

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## 15.2 Chemical safety assessment

Not required. Substance(s) usage is covered according to Reach regulation 1907/2006.

## **Section 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H318 - Causes serious eye damage

#### Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

Reach: Registration, Evaluation, authorization of Chemicals CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit TWA: Time Weighted Average ATE: Acute Toxicity Estimate

EUH statement: CLP (EU) specific hazard statement.

Classification procedure: - Calculation method

- Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU No. 453/2010. Regulation (EC) No 1272/2008.

Page 7 of 8

## Greenmaster ProLite Spring & Summer 14-5-10+2MgO

Prepared by: Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Issue Date: 20-Jan-2014

Revision Date: 02-Mar-2016

Reason for revision: \*\*\* Indicates changes since the last revision. This version

replaces all previous versions.

Revision Date: 02-Mar-2016

#### This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.

**End of Safety Data Sheet**