Safety Data Sheet

Issue Date 27-May-2014

Revision Date 21-Nov-2017

Version: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Product Name:

Product Code

Sierrablen Plus Spring & Summer CalMag 23-0-5+5CaO+2MgO 41990100DA

1.2. Relevant identified uses of the substance or mixture and uses advised againstRecommended Use:Fertilizer. Restricted to professional users.Uses Advised Against:Consumer use [SU 21].

1.3. Details of the supplier of the safety data sheet Everris International BV Niiverheideweg 1 5: 6422 PD Hoorlon (NIII): Tel: 131 (0) 45 5600100; Fey: 131 (0) 45 560

Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0) 45-5609100; Fax: +31 (0) 45-5609190

For further information, please contact

INFO-MSDS@EVERRIS.COM

1.4. Emergency telephone number

IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal Word:

None

EUH210 - Safety data sheet available on request

Other hazards (UN-GHS)

H316 - Causes mild skin irritation

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No.	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Urea	200-315-5	57-13-6	40 - 65%	Not classified	01-2119463277-33
Calcium sulfate anh; CaSO4	231-900-3	7778-18-9	10 - 25%	Not classified	01-2119444918-26
Sulphur; S	231-722-6	7704-34-9	5 - 10%	Skin Irrit. 2 (H315)	01-2119487295-27

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

.

4.1. Description of first aid measures

General Advice:	First aid measures should be executed by trained personnel only.
Inhalation:	If not breathing, give artificial respiration. If symptoms persist, call a physician. If fumes from reactions are inhaled, move to fresh air immediately.
Skin Contact:	If skin irritation persists, call a physician.
Eye Contact:	Rinse thoroughly with plenty of water, also under the eyelids.
Ingestion:	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media Suitable Extinguishing Media:

Coordinate fire extinguishing measures to fire in surrounding area. Use dry chemical, CO2, water spray or "alcohol" foam.

Unsuitable Extinguishing Media:

High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Cool containers / tanks with spray water.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures Personal Precautions: Ensure adequate

Ensure adequate ventilation. Wear personal protective equipment. Evacuate personnel to safe areas.

For Emergency Responders:

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow product to enter the environment uncontrolled.

6.3. Methods and material for containment and cleaning up Methods for Containment: P Methods for Cleanup: T

Prevent further leakage or spillage if safe to do so. Take up mechanically and collect in suitable container for disposal.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

Keep container tightly closed in a dry and well-ventilated place. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

LGK (Germany) Packaging Materials:

7.3. Specific end use(s)

Specific use(s)

Fertilizer; www.everris.com; Read and follow label instructions

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exempt

Store in a closed container.

8.1. Control parameters

Urea	
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m³ TWA
Latvia - Occupational Exposure Limits - TWAs	10 mg/m³ TWA
Norway	TWA: 30 µg Hg/g Creatinine
	STEL: 30 µg Hg/g Creatinine
Calcium sulfate anh; CaSO4	
Austria	STEL 10 mg/m ³
	TWA: 5 mg/m ³
Australia	10 mg/m ³ TWA inhalable dust
Belgium - 8 Hr TWA	10 mg/m³ TWA
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m³ TWA
France - Occupational Exposure Limits - 8 Hour VMEs	TWA: 10 mg/m ³
Hungary - Occupational Exposure Limits - TWAs	6 mg/m³ TWA
Ireland	TWA: 10 mg/m ³
	STEL: 30 mg/m ³
Latvia - Occupational Exposure Limits - TWAs	4 mg/m ³ TWA (hydrogenated)
Malaysia - Occupational Exposure Limits - TWAs	10 mg/m ³ TWA (particulate matter containing no Asbestos and <1%
	crystalline Silica)
Portugal	TWA: 10 mg/m ³
Slovenia - Occupational Exposure Limits - TWAs	6 mg/m ³ TWA (respirable fraction)
Spain OEL - Time Weighted Average (TWA):	TWA: 10 mg/m ³
Singapore - OEL:PELs	10 mg/m ³ PEL
Switzerland	TWA: 3 mg/m ³
Sulphur; S	
Latvia - Occupational Exposure Limits - TWAs	6 mg/m³ TWA
Russia TWA	6 mg/m ³ TWA 1790

Derived No Effect Level (DNEL).

Component	Oral	Dermal	Inhalation:
Urea		580 mg/kg bw/day	292 mg/m ³
57-13-6(40 - 65%)			

Predicted No Effect Concentration (PNEC).

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Urea 57-13-6(40 - 65%)	0.47 mg/l		0.047 mg/l			

8.2. Exposure controls

Personal protective equipmentEye/Face Protection:Wear eye/face protectionHand protection:Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.Respiratory Protection:Not relevantSkin and body protectionLightweight protective clothingHygiene Measures:When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Solid

9.1. Information on basic physical and chemical properties

Physical State: Appearance: Color: Odor: **Bulk density:** pH: **Melting Point/Freezing Point: Boiling Point/Range:** Flash Point: **Evaporation Rate:** Flammability (solid, gas): Vapor Pressure: Vapor Density: **Specific Gravity:** Water Solubility: Solubility(ies) **Partition Coefficient:** Autoignition Temperature: **Decomposition Temperature: Explosive Properties:**

Granules orange, white, grey. None 876 - 1026 no data available no data available Solid, Not applicable Solid, Not applicable Solid, Not applicable Not flammable Solid. Not applicable Solid, Not applicable no data available no data available no data available Solid, Not applicable no data available no data available Doesn't present explosion hazard. Based on data of ingredients.

9.2. Other information VOC Content (%):

Solid Not applicable

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity Not reactive.

10.2. Chemical stability

Stable under normal conditions. 10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

10.4. Conditions to avoid

For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well

10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc

10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Product Information Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	May cause slight irritation.
Skin Contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Information on Toxicological Effect Symptoms:	<u>s:</u> Symptoms of poisoning unknown

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document: ATEmix (oral): 16,842.00 mg/kg

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Urea	= 8471 mg/kg (Rat)		
Calcium sulfate anh; CaSO4	> 3000 mg/kg (Rat)		
Sulphur; S	> 3000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 9.23 mg/L (Rat)4 h

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure: None known

Serious eye damage/eye irritation	Classification based on individual ingredients of the mixture.
Respiratory or skin sensitization	Classification based on individual ingredients of the mixture.
Germ Cell Mutagenicity	Classification based on individual ingredients of the mixture.
Carcinogenicity	Classification based on individual ingredients of the mixture.
Reproductive Toxicity	Classification based on individual ingredients of the mixture.
STOT - Single Exposure	Classification based on individual ingredients of the mixture.
STOT - Repeated Exposure	Classification based on individual ingredients of the mixture.
Aspiration Hazard	Classification based on individual ingredients of the mixture.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity Unknown Aquatic Toxicity:

Do not allow product to enter the environment uncontrolled. 0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Urea	> 10000: 192 h Scenedesmus quadricauda mg/L EC50	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	-	3910: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna Straus mg/L EC50
Calcium sulfate anh;	-	2980: 96 h Lepomis	-	3200: 120 h Nitscheria

CaSO4		macrochirus mg/L LC50 static 1970: 96 h Pimephales promelas mg/L LC50 static		linearis mg/L EC50
Sulphur; S	-	866: 96 h Brachydanio rerio mg/L LC50 static 14: 96 h Lepomis macrochirus mg/L LC50 static 180: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-

12.2. Persistence and degradability

Persistence and Degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulation: No data available.

Chemical Name	LOGPOW
Urea	-1.59

<u>12.4. Mobility in soil</u> Mobility in soil

No data available.

No data available.

12.5. Results of PBT and vPvB assessmentPBT and vPvB assessmentNo data available.

<u>12.6. Other adverse effects</u> Mobility:

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods Disposal of Wastes:

Contaminated Packaging: Other Information:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not reuse container. Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

IMO / IMDG	
<u>14.1</u>	
UN-No:	Not regulated
14.2 Dranas aking name:	Not regulated
Proper shipping name: 14.3	Not regulated
Hazard Class:	Not regulated
<u>14.4</u>	
Packing group:	Not regulated
<u>14.5</u>	
Marine Pollutant:	Not regulated
14.6 Special Provisions	None
14.7	None
Transport in bulk according to Annex II of MARPOL 73/78	Not regulated
and the IBC Code	

ADR/RID

<u>14.1</u>	
UN-No:	Not regulated
<u>14.2</u>	
Proper shipping name:	Not regulated
<u>14.3</u>	
Hazard Class:	Not regulated
<u>14.4</u>	
Packing group:	Not regulated
<u>14.5</u>	
Environmental Hazard	Not regulated
<u>14.6</u>	
Special Provisions	None

ΙΑΤΑ	
14.1	
UN-No:	Not regulated
<u>14.2</u>	
Proper shipping name:	Not regulated
<u>14.3</u>	
Hazard Class:	Not regulated
<u>14.4</u>	
Packing group:	Not regulated
<u>14.5</u>	
Environmental Hazard	Not regulated
<u>14.6</u>	
Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Deigiani		
<u>Denmark</u> Danish Sikkerhedsgruppe	No data available	
<u>France</u> ICPE	Not regulated	
<u>Germany</u> LGK (Germany) Water Endangering Class (WGK): Gefahrstoffverordnung (Germany) TRGS 511	Exempt 1 (Everris classification) Not regulated	
Component	German WGK Section	
Urea	class 1	
57-13-6 (40 - 65%)		
Calcium sulfate anh; CaSO4	class 1	
7778-18-9(10 - 25%)		

class 1

European Union

7704-34-9 (5 - 10%)

REACH

Sulphur; S

Belaium

15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3 - H315 - Causes skin irritation - H316 - Causes mild skin irritation Key or legend to abbreviations and acronyms used in the safety data sheet RID: Regulations Concerning the International Transport of Dangerous Goods by Rail ICAO: International Civil Aviation Organization European Agreement concerning the International Carriage of Dangerous Goods by Road ADR: IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association Globally Harmonized System of Classification and Labeling of Chemicals GHS: EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PNEC: Predicted No Effect Concentration DNEL: Derived No-Effect Level Registration, Evaluation, authorization of Chemicals Reach: EU-GHS; Classification, Labelling and Packaging CLP: **OEL: Occupational Exposure Limit** Time Weighted Average TWA: ATE: Acute Toxicity Estimate EUH phrase: CLP (EU) specific hazard statement LD50: Lethal dose, 50%. LC50: Lethal concentration, 50%. SVHC: Substance of very high concern. **Classification procedure** Calculation method · Expert judgment and weight of evidence determination Key literature references and sources for data According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830. Regulation (EC) No 1272/2008. Prepared by Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM) **Issue Date** 27-May-2014 **Revision Date** 21-Nov-2017 **Reason for revision** *** Indicates changes since the last revision. This version replaces all previous versions

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.