# **Product** Information

# **Sportsmaster** 9

High K 15-0-43+Fe





### **Product description**

Sportsmaster WSF is a premium fertilizer with TMax technology for enhanced foliar and root nutrient uptake. Ideal for use on sports fields and fairways to compliment the main granular fertilizer programme.

## **Product advantages**

- 1. Ideal to apply prior to stressful conditions such as drought or winter conditions.
- 2. The low nitrogen to high potassium ratio ensures maximum turf hardening with minimal growth.

  3. Urea nitrogen source ensures efficient foliar uptake.

  4. Chelated iron content for enhanced colour.

**Technology** 

Poly-S	Pace	TMax	$MU_2$	SilK	Pro-Lite

#### Use

Green	Tee	Fairway	Sports field	Amenity
✓	√√	√√	√√	√√

Recommended period for use

J F M A M J J A S O N D
-------------------------

#### Performance\*

Granule dispersal: immediate Turf response:

< 24 hours 2-4 weeks (depending on rate) Longevity:

\* depending on environmental factors

#### **Product characteristics**

Pack size:

15 kg 15-30 kg /Ha 300-600 L/Ha Foliar Application Rate: Water volume: Drench application rate: 30-60 kg /Ha Water volume: 600-1000 L/Ha 2500-10000m<sup>2</sup> Pack coverage:

Item code: 2055





Nutrient levels applied (kg/ha)

	15 kg/Ha	1	30 kg/Ha					
N	P K		N	Р	K			
2.3	0.0	6.5	4.5	0.0	12.9			

	45 kg/Ha		60 kg/Ha						
N	Р	K	N	Р	K				
6.8	0.0	19.4	9.0	0.0	25.8				

#### Directions for use

Sportsmaster WSF products are tank-mixable with other products within the range and H<sub>2</sub>Pro & H<sub>2</sub>Pro Maximise wetting agents.

To ensure that this product dissolves completely: all products should be mixed by adding quantity required to a half full spray tank and agitating for 10-15 minutes. Bring to total volume with water. Water temperature will affect dissolution rate.

Avoid applications during frosty or drought conditions.

Mix with TurfMark Extra spray pattern indicator to aid spraying, to condition water and minimize spray drift.

The water volume used to apply Sportsmaster WSF will affect how nutrients are taken up by the plant.

For foliar applications use low water volumes (300-600 L/Ha) and to optimize uptake avoid high temperatures and sunny conditions.

For root uptake applications use high water volumes (600-1000 L/Ha) and follow immediately with a minimum of 2-3 minutes irrigation to provide the necessary water volume and to reduce the risk of turf injury.

#### Storage

Store in original container. Keep at temperatures above 0°C. Keep away from food, drink and animal feeding stuffs. In crystalline form, enhances combustibility of other substances. Keep from drying out. Protect from contamination.

#### Health and safety

A Material Safety Data Sheet is available on request.

**Garanteed Analysis** 

15.0% TOTAL NITROGEN (N) 12.7% nitrate nitrogen (NO<sub>3</sub>-N)

2.3% urea nitrogen (Ur-N) **POTASSIUM OXIDE** (K<sub>2</sub>O) water soluble 43.0% 35.7% Potassium (K) water soluble

Iron total (Fe) chelated by EDTA 0.13%

Sprayer advice

Spray quality	Size of droplets	Retention on leaf surface	Potenti	al di	ift h	azar	d*	Foliar application	Root application
Very fine	Fine	Good	High					<b>4</b> 4	Х
Fine	!	Good	$\triangle$					✓	Х
Medium		Good						✓	✓
Coarse		Moderate						✓	✓
Very coarse	Coarse	Poor	Very low					Х	<b>4</b>

<sup>\*</sup> Spray drift can be minimized by using TurfMark Extra

The complete Sportmaster WSF Range

Product name	Analyses		Recommended period of use										
Hign N	35-0-14+Fe	J	F	М	А	М	J	J	А	S	0	N	D
Spring & Summer	28-5-19+TE	J	F	М	А	М	J	J	А	S	0	N	D
Hign K	15-0-43+Fe	J	F	М	А	М	J	J	А	S	0	N	D



ISO 9001, ISO 14001 en OHSAS 18001.





